



0086

RADCRETE PACIFIC PTY LTD
P.O. Box 367
DOUBLE BAY NSW 1360 AUSTRALIA

18

0086-CPR-637306

EN 1504-2

Product for Protection and Repair Product of Concrete Structures (Ingress Protection)

Permeability to water vapour:	CLASS I
Capillary absorption:	< 0.1 kg/m ³ *h ^{0.5}
Chemical Resistance:	no visual defects
Depth of penetration:	CLASS II
Adhesion strength:	≥2.33MPa
Skid resistance:	CLASS III
Adhesion freeze thaw deicing salts:	≥2.4MPa
Adhesion after thermal shock 200°C:	≥2.9MPa
Reaction with fire:	CLASS A1
Dangerous substances:	comply with 5.4

Registered to ISO 9001: 2015 Certificate No: FS 649546

MADE IN AUSTRALIA



0086

RADCRETE PACIFIC PTY LTD
P.O. Box 367
DOUBLE BAY NSW 1360 AUSTRALIA

18

0086-CPR-637306

EN 1504-2

Product for Protection and Repair Product of Concrete Structures (Ingress Protection)

Permeability to water vapour:	CLASS I
Capillary absorption:	< 0.1 kg/m ³ *h ^{0.5}
Chemical Resistance:	no visual defects
Depth of penetration:	CLASS II
Adhesion strength:	≥2.33MPa
Skid resistance:	CLASS III
Adhesion freeze thaw deicing salts:	≥2.4MPa
Adhesion after thermal shock 200°C:	≥2.9MPa
Reaction with fire:	CLASS A1
Dangerous substances:	comply with 5.4

Registered to ISO 9001: 2015 Certificate No: FS 649546

MADE IN AUSTRALIA